

# THE INSECT PEST SURVEY BULLETIN

---

A periodical review of entomological conditions throughout the United States,  
issued on the first of each month from April to November, inclusive

---

---

Volume 3

Index

---

BUREAU OF ENTOMOLOGY  
UNITED STATES  
DEPARTMENT OF AGRICULTURE  
AND  
THE STATE ENTOMOLOGICAL  
AGENCIES COOPERATING



# INDEX TO INSECT PEST SURVEY BULLETIN

VOLUME 3, 1923

(Common names listed separately; see page 367)

<u>A</u>	<u>No.</u>	<u>Page</u>
<u>Achatodes zeae</u> L. - - - - -	4	158
<u>Acridiidae</u> - - - - -	3	64
	4	110, 111, 112
	5	166, 167, 168
	6	218
	7	271, 272
	8	310
<u>Acrobasis hebescella</u> Hulst- - - - -	1	12
	3	76
	5	187
	6	239
	8	319
<u>Acrobasis nebulella</u> Riley - - - - -	2	39, 40
	3	77
	6	239
	8	319
<u>Acrolophus popeanellus</u> Clemens - - - - -	2	45
	5	198
<u>Adelphocoris ravidus</u> Say - - - - -	6	263
<u>Aedes aegypti</u> L. - - - - -	3	97
	8	336
<u>Aedes sollicitans</u> Walk. - - - - -	3	97
<u>Aegeria exitiosa</u> Say - - - - -	1	11
	2	37
	3	71
	7	283
	8	317, 318
<u>Aegeria pictipes</u> G. & R. - - - - -	3	72
<u>Aegeria tipuiformis</u> Clerck - - - - -	4	134
<u>Agrilus anxius</u> Gory - - - - -	5	204
	8	329
<u>Agrilus bilineatus</u> Weber - - - - -	8	331
<u>Agrilus nevadensis</u> Horn - - - - -	7	300
<u>Agriolimax agrestis</u> L. - - - - -	4	147
<u>Agriolimax californicus</u> Cooper - - - - -	4	147
<u>Agriolimax columbianus</u> Gid. - - - - -	4	147
<u>Agriolimax</u> sp. - - - - -	4	161
<u>Agrionotus mancus</u> Say - - - - -	5	192, 194
<u>Aerotis c-nigrum</u> L. - - - - -	6	237
<u>Aerotis ypsilon</u> Rott. - - - - -	6	241

<u>Alabama argillacea</u> Hbn. - - - - -	4	149
	5	196, 197
	6	252, 253
	7	293, 294, 295, 296
	8	325, 326, 327
<u>Aleurodidae</u> - - - - -	3	96
<u>Alsophila pometaria</u> Harr. - - - - -	1	17
	2	34, 47
	3	69, 92
	4	123, 152
<u>Alypia octomaculata</u> Fab. - - - - -	6	238
<u>Ambrosia</u> beetles - - - - -	3	76
<u>Amorbia humerosana</u> Clem. - - - - -	7	280
<u>Amphicerus bicaudatus</u> Say - - - - -	1	12
<u>Amphicerta</u> sp. - - - - -	2	30
<u>Anabrus simplex</u> Hald. - - - - -	2	28
	4	111
	5	168
<u>Anarsia lineatella</u> Zell. - - - - -	1	12, 71
	5	183
	6	234
	7	284
	8	318
<u>Anasa tristis</u> DeG. - - - - -	3	88
	4	144
	6	249
	8	323
<u>Anerlis compta</u> Friesl. - - - - -	5	190
	6	246
<u>Andrena erythrogaster</u> Ashm. - - - - -	3	95
<u>Antricus coronus</u> Beut. - - - - -	3	32
<u>Ansa limbata</u> Haw. - - - - -	4	153
<u>Anisota rubicunda</u> Fab. - - - - -	5	206
<u>Anomala marginata</u> Fab. - - - - -	7	302, 303
<u>Anomala orientalis</u> Waterh. - - - - -	4	150
<u>Anomala undulata</u> Melsh. - - - - -	3	74
<u>Anopheles quadrimaculatus</u> Say - - - - -	3	97
<u>Anthonomus aeneii</u> Cano. - - - - -	7	287
	8	324
<u>Anthonomus grandis</u> Boh. - - - - -	1	14, 15
	3	88, 89
	4	147, 148
	5	195
	6	252
	7	293
	8	325
<u>Anthonomus scutellaris</u> Lec. - - - - -	3	73
<u>Anthonomus signatus</u> Say - - - - -	3	82
	4	139
<u>Anticarsia gemmatilis</u> Hbn. - - - - -	8	315
<u>Anuraphis persicae-niger</u> Smith - - - - -	5	183

<u>Anuraphis roseus</u> Baker	- - - - -	1	9
		2	31,32
		3	65,66
		4	118,119
		5	179
		6	227
<u>Anuraphis tulipae</u> Boyer	- - - - -	1	15,16
<u>Aphididae</u>	- - - - -	1	9
		2	32,44
		3	84,92
		4	112,158
		5	187
<u>Aphidius testaceipes</u> Cress.	- - - - -	6	249
<u>Aphis betulae</u> Fitch	- - - - -	8	329
<u>Aphis cossypii</u> Glov.	- - - - -	1	12
		3	87
		4	144,149
		5	192,195
		6	249,254
		7	291,296
<u>Aphis iridis</u> DeG.	- - - - -	6	264
<u>Aphis maidis</u> Fitch	- - - - -	7	278
<u>Aphis pomi</u> DeG.	- - - - -	2	31,32
		3	64,65
		4	1118
		5	179
		6	227
<u>Aphis rufomaculata</u> Wilson	- - - - -	5	210
<u>Aphis rumicis</u> L.	- - - - -	6	251
		8	322
<u>Aphis sorbi</u> Auct. ( <u>Anuraphis</u>			
<u>roseus</u> , which see)	- - - - -	2	31,32
<u>Aphis spireaella</u> Schout.	- - - - -	5	211
<u>Aphis</u> sp.	- - - - -	7	303
<u>Archips argyrospila</u> Walk.	- - - - -	2	33
<u>Archips parallela</u> Rob.	- - - - -	5	212
<u>Archips rosaceana</u> Harr.	- - - - -	5	210
<u>Archytas analis</u> Fab.	- - - - -	5	177

	No.	Page
<u>Argas miniatus</u> Koch - - - - -	2	51
	3	101
	5	215
	6	268
<u>Argromyza pusilla</u> Meig. - - - - -	4	177
<u>Argyresthia thuiella</u> Pack - - - - -	3	96
	4	153
	5	202, 203
	6	257
	8	329
<u>Arilus cristatus</u> L. - - - - -	7	304
<u>Armadillidium vulgare</u> Latr. - - - - -	2	46
<u>Artipus floridanus</u> Horn - - - - -	2	42
<u>Aspidiotus perniciosus</u> Comst. - - - - -	1	10, 122
	2	34, 35, 38, 39, 40
	3	69, 70
	4	124, 125, 155
	5	181
	6	231, 236
	7	281, 282
	8	317, 318
<u>Aspidiotus uvae</u> Comst. - - - - -	2	40
<u>Atropos divinatoria</u> Muell. - - - - -	4	161
	7	307
<u>Atta texana</u> Buck. - - - - -	1	15
<u>Attelatus sexmaculatus</u> Chev. - - - - -	3	78
<u>Aulacaspis rosae</u> Bouche - - - - -	3	74
	4	130

B

<u>Balaninus algonquinus</u> Casey - - - - -	2	47
<u>Balaninus caryae</u> Horn - - - - -	6	239, 240
	8	320
<u>Balaninus proboscideus</u> Fab. - - - - -	2	47
<u>Bathyslectes curculionis</u> Thoms. - - - - -	4	117
<u>Bembecia marginata</u> Harr. - - - - -	5	185
<u>Bembidion quadrimaculatum</u> L. - - - - -	5	175
<u>Bibio albipennis</u> Say - - - - -	4	153
<u>Biatella germanica</u> L. - - - - -	1	21
<u>Blissus leucopterus</u> Say - - - - -	1	7
	2	26
	3	55, 56
	4	113, 114
	5	172, 173, 174
	6	220, 221, 222
	7	275
	8	313

<u>Brachyrhinus ovatus</u> L. - - - - -	5	189
<u>Brachyrhinus sulcatus</u> Fab. - - - - -	4	158
	5	189
<u>Brachystola magna</u> Gir. - - - - -	8	315
<u>Braula coeca</u> Nitzsch - - - - -	7	304
<u>Brevicoryne brassicae</u> L. - - - - -	3	81
	4	138
	6	245
	7	288
<u>Bruchophagus funebris</u> How. - - - - -	2	30
<u>Bruchus obtectus</u> Say (see also <u>Mylabris</u> <u>obtectus</u> ) - - - - -	3	84
<u>Bruchus pisorum</u> L. (see also <u>Mylabris</u> <u>pisorum</u> ) - - - - -	3	104
	4	162
<u>Bryobia praetiosa</u> Koch - - - - -	1	11
	5	182
<u>Bucculatrix canadensisella</u> Chamb. - - - - -	4	154
	6	257
	7	299
	8	329
<u>Bucculatrix pomifoliella</u> Clem. - - - - -	3	66
<u>Bucculatrix thurberiella</u> Busck - - - - -	8	327
<u>Byturus unicolor</u> Say - - - - -	3	74
	4	130

## C

<u>Cacoecia arcyrospila</u> Walk. (see also <u>Archips</u> <u>arcyrospila</u> ) - - - - -	1	9
	3	66, 67
	4	120
	5	180
<u>Cacoecia fumiferana</u> Clem. (see also <u>Harmoloba</u> <u>fumiferana</u> and <u>Tortrix fumiferana</u> ) - - - - -	6	261
	7	300, 301
	8	334
<u>Calandra granaria</u> L. - - - - -	7	308
	8	338
<u>Calandra oryza</u> L. - - - - -	3	104
<u>Caliroa aethiops</u> Fab. - - - - -	6	255
	8	335
<u>Caliroa cerasi</u> L. - - - - -	4	128
	5	184
	6	234, 236
	7	282, 284
<u>Calliphora</u> spp. - - - - -	6	267
<u>Callipterus trifolii</u> Monell - - - - -	3	84
<u>Calophya nigripennis</u> Riley - - - - -	5	211
<u>Camula pellucida</u> Scudd. - - - - -	5	166, 167
	7	271
	8	310



<u>Camponotus fallax</u> Myl., subsp.		
<u>rasilis</u> Wheeler	3	104
<u>Camponotus socius</u> Roger	3	103
<u>Carbocapsa pomonella</u> L.	1	9
	2	31
	3	66
	4	119
	5	179, 180
	6	227, 228
	7	279
	8	315, 316
<u>Cassida bivittata</u> Say	3	80
	4	137
<u>Cecidomyia catalpae</u> Comst.	8	330
<u>Cecidomyia viticola</u> O. S.	7	285
<u>Colama sorghiella</u> Riley	4	117, 118
	5	178
	8	315
<u>Cephus cinctus</u> Hort.	6	220
<u>Cephus pygmaeus</u> L.	7	274
<u>Ceratomegilla fuscilabris</u> Muls.	3	86
<u>Ceratonia catalpae</u> Boisd.	6	257
	7	299
	8	330
<u>Ceratophyllus gallinae</u> Schrank	7	306
<u>Cercopidae</u>	4	134
<u>Ceresa bubalus</u> Fab.	6	246
<u>Cerotoma trifurcata</u> Foerst.	3	83
	4	141
<u>Ceutorhynchus rapae</u> Gyll.	4	139
<u>Chalcis incerta</u> Cresson	5	197
<u>Chalcodermus aeneus</u> Boh.	4	142
	5	190
<u>Chalcoides helxines</u> L.	6	261
<u>Chalepus dorsalis</u> Thunb.	6	259
<u>Chelymorpha cassidea</u> Fab.	6	226
<u>Chermes abietis</u> L.	8	334
<u>Chermes pinicorticis</u> Fitch	3	93
	5	207
	8	332
<u>Chilo plejadellus</u> Zinck	5	198
<u>Chionaspis euonymi</u> Comst.	3	95
	6	266
<u>Chionaspis pinifoliae</u> Fitch	3	93
	4	156
	5	207
	8	332
<u>Chirida guttata</u> Oliv.	3	80



	No.	Page
<u>Chironomus niveipennis</u> Fab. - - - - -	5	213
<u>Chironomus</u> sp. - - - - -	3	102
<u>Chlorochroa congrua</u> Uhl. - - - - -	7	274
<u>Chorizagrotis auxiliaris</u> Grote - - - - -	3	53
<u>Chrysobothris femorata</u> Oliv. - - - - -	7	282
<u>Chrysomphalus dictyospermi</u> Morgan - - - - -	2	42
<u>Chrysomphalus obscurus</u> Comst. - - - - -	8	331
<u>Chrysomya macellaria</u> Fab. - - - - -	2	49, 50
	3	98
	4	159
	5	213
	6	267
	7	305
<u>Chrysopa plorabunda</u> Fitch - - - - -	3	86
<u>Chrysops carbonarius</u> Walk. - - - - -	4	159
<u>Chrysops vittatus</u> Wied. - - - - -	4	159
<u>Cicadula 6-notata</u> Fau. - - - - -	8	312
<u>Cirphis unipuncta</u> Haw. - - - - -	5	176
	6	223
<u>Citheronia regalis</u> Fab. - - - - -	7	286
<u>Clastoptera obtusa</u> Say - - - - -	8	319
<u>Cnidocampa flavescens</u> Walk. - - - - -	5	202
<u>Coccus acuminatus</u> Sign. - - - - -	2	42
<u>Colaspis brunnea</u> Fab. - - - - -	6	246
<u>Coleophora caryaefoliella</u> Clem. - - - - -	3	77
	8	319
<u>Coleophora laricella</u> Hbn. - - - - -	5	206
	8	331
<u>Colopha ulmicola</u> Fitch - - - - -	4	154
	5	205
<u>Coloradia pandora</u> Blake - - - - -	27	300
<u>Conotrachelus anaglypticus</u> Say - - - - -	3	72
	6	262
<u>Conotrachelus nenuphar</u> Hbst. - - - - -	1	11
	2	37, 38, 39
	3	73
	4	128, 129
	5	184
	6	235, 236, 237
	7	284
	8	318, 319
<u>Contarinia johnsoni</u> Sling. - - - - -	4	132
<u>Contarinia pyrivora</u> Riley - - - - -	3	71
	4	127
<u>Corimelaena mulicaria</u> Germ. - - - - -	6	262
<u>Cotinis nitida</u> L. - - - - -	2	45
	8	335, 336
<u>Cotinis texana</u> Casey. (given as <u>Phanaeus</u> <u>carnifex</u> L. in error) - - - - -	6	235
<u>Crambus caliginosellus</u> Clem. - - - - -	2	45
<u>Crambus</u> sp. - - - - -	4	130

	No.	Page
<u>Cremastogaster lincolata</u> Say - - - - -	3	102
<u>Cremastogaster</u> sp. - - - - -	3	104
<u>Grioceris asparagi</u> L. - - - - -	3	83
	4	140
	7	289
<u>Grioceris 12-punctata</u> L. - - - - -	3	83
	4	140
Crustacea - - - - -	4	157
<u>Cryptocephalus quadrimaculatus</u> Say - - - - -	4	139
<u>Cryptorhynchus lepathi</u> L. - - - - -	6	233, 261
<u>Cryptostigma ingae</u> Ferris - - - - -	3	78
<u>Cryptothrips floridensis</u> Watson - - - - -	8	330
<u>Ctenocephalus canis</u> Bouche - - - - -	8	336
<u>Ctenocephalus felis</u> Bouche - - - - -	3	97
	8	336
Culicidae - - - - -	4	158, 159
	6	266
<u>Culicoides biguttatus</u> Coq. - - - - -	3	100
<u>Cylas formicarius</u> L. - - - - -	1	13
	3	80
	5	189
	6	251
	7	292
<u>Cyllene robiniae</u> Forst. - - - - -	5	206
	8	335
Cynipidae - - - - -	3	92

## D

<u>Dasyncura rhodophaga</u> Coq. - - - - -	4	157
<u>Datana integerrima</u> G. & R. - - - - -	8	330
<u>Deilephila lineata</u> Fab. - - - - -	8	315
<u>Deltoccephalus affinis</u> Gillette & Ball - - - - -	3	312
<u>Dendroctonus brevicornis</u> Lec. - - - - -	1	16
	3	93, 94
	7	301
<u>Dendroctonus monticolae</u> Hopk. - - - - -	5	207
<u>Dermacentor albipictus</u> Pack. - - - - -	2	50
<u>Dermacentor nigrilineatus</u> Pack. - - - - -	1	19
<u>Dermacentor venustus</u> Banks - - - - -	8	336
<u>Dermanyssus gallinae</u> Redi - - - - -	1	20
	2	50
	3	101
	4	160
	5	214
	8	338
<u>Dermestes frischi</u> Kug. - - - - -	7	307
<u>Dermestes lardarius</u> L. - - - - -	4	162
	7	308
Dermestidae - - - - -	5	215
<u>Desmia funeralis</u> Hbn. - - - - -	3	75
<u>Diabrotica balteata</u> Lec. - - - - -	7	277

<u>Diabrotica 12-punctata</u> Oliv. - - - - -	2	28, 29, 37, 38
	3	61, 62
	5	178
	6	248
<u>Diabrotica longicornis</u> Say - - - - -	7	277
	8	314
<u>Diabrotica tricineta</u> Say - - - - -	5	192
	7	291
<u>Diabrotica vittata</u> Fab. - - - - -	3	86, 37
	4	143, 144
	5	191
	6	247, 248
	7	291
	8	323
<u>Diacrisia virginica</u> Fab. - - - - -	7	277
<u>Dialeurodes citri</u> Ashm. - - - - -	2	41
	3	78
	4	135
	6	240
<u>Diaphania hyalinata</u> L. - - - - -	8	323
<u>Diaphania nitidalis</u> Cramer - - - - -	6	247
	7	291
<u>Diathromomyia hypogaea</u> F. Loew. - - - - -	1	15
	2	46
	3	95
	5	210
<u>Diatraea lineolata</u> Walk. - - - - -	4	116
	6	225, 226
<u>Diatraea saccharalis</u> Fab. - - - - -	3	61, 90
	4	115, 116, 150
	5	174, 198, 199
	6	225
	7	276
<u>Diatraea zeacolella</u> Dyar - - - - -	4	116
	6	225
	7	277
<u>Dicophus minimus</u> Uhler - - - - -	5	198
<u>Dilachnus strobil</u> Fitch - - - - -	5	203
<u>Diorvctria reniculella</u> D. & S. - - - - -	6	261
<u>Diploilulus luscus</u> - - - - -	4	147
<u>Diprion simile</u> Hartig - - - - -	7	300
	8	332, 333
<u>Disonycha</u> sp. n. - - - - -	3	79
	4	145
	5	193
<u>Dolerus</u> sp. - - - - -	4	115
<u>Dryocoetes</u> sp. - - - - -	7	301
<u>Dysdercus andreae</u> L. - - - - -	3	89

E

<u>Eburia quadrigeminata</u> Say - - - - -	1	17
<u>Echidnophaga gallinacea</u> West. - - - - -	2	51

<u>Elasmopalpus limosellus</u> Zell. - - - - -	7	290
<u>Elateridae</u> - - - - -	2	28, 44
	3	58, 62
	4	109, 110, 145
	5	175, 194, 197
	6	218
<u>Eleodes carbonaria</u> Say - - - - -	4	115
<u>Eleodes hispidilabris</u> Say - - - - -	4	115
<u>Eleodes hispidilabris</u> Say var.		
<u>imitabilis</u> Blaisd. - - - - -	3	60
<u>Eleodes humeralis</u> Lec. - - - - -	3	60
<u>Eleodes lotcheri</u> Blaisd. - - - - -	4	115
<u>Eleodes nigrina</u> Lec. var.		
<u>difformis</u> Blaisd. - - - - -	3	60
<u>Eleodes nunonmacheri</u> Blaisd. var.		
<u>verrucula</u> Blaisd. - - - - -	3	60
<u>Eleodes opaca</u> Say - - - - -	1	8
	2	28
	6	220
<u>Eleodes</u> sp. - - - - -	3	59, 60
	5	172
	8	312
<u>Eleodes vandykei</u> Blaisd. - - - - -	3	60
<u>Emoa rosae</u> L. - - - - -	7	281
<u>Empoasca mali</u> LeB. - - - - -	4	124, 137
	5	188
	6	243, 244
	7	288
	8	317
<u>Empoasca minuenda</u> Ball - - - - -	2	43
<u>Empria maculata</u> Norton - - - - -	4	140
<u>Enomos subsignarius</u> Hbn. - - - - -	4	153
	5	202
	6	255
<u>Eparareus titurus</u> Fab. - - - - -	6	265
<u>Ephestia kuchniella</u> Zell. - - - - -	1	21
	8	338
<u>Epicaerus imbricatus</u> Say - - - - -	3	79
	4	126
<u>Epicauta cinerea</u> Foerst. - - - - -	6	241
<u>Epicauta corvina</u> Lec. - - - - -	6	241
<u>Epicauta lerniscata</u> Fab. - - - - -	5	178
	6	241
<u>Epicauta maculata</u> Say - - - - -	4	111
<u>Epicauta marginata</u> Fab. - - - - -	6	240
<u>Epicauta pennsylvanica</u> DeG. - - - - -	6	240
	7	302
	8	320
<u>Epicauta vittata</u> Fab. - - - - -	7	286, 287
<u>Epilachna borealis</u> Fab. - - - - -	7	291, 292

	No.	Page
<u>Epilachna corrupta</u> Muls. - - - - -	3	83
	4	141
	5	190
	6	246, 247
	7	289, 290
	8	322, 323
<u>Epinotia meritana</u> Heinrich - - - - -	5	207
<u>Epitrix cucumeris</u> Harr. - - - - -	3	79
	4	136, 137
	5	183
	6	243
<u>Epitrix parvula</u> Fab. - - - - -	2	45
	3	89
	6	254
<u>Epitrix subcrinita</u> Lec. - - - - -	4	137
<u>Eriocampoides amygdalina</u> Rohwer - - - - -	2	38
<u>Eriopeltis festucae</u> Fonsc. - - - - -	6	226
<u>Eriophyes cucuricotes</u> Nalepa - - - - -	6	262
<u>Eriophyes pyri</u> Fgst. - - - - -	3	71
	4	127
	5	182, 183
<u>Eriosoma americanum</u> Riley - - - - -	4	155
	5	205
<u>Eriosoma lanigerum</u> Hausm. - - - - -	2	32
<u>Erythroneura comes</u> Say (see also <u>Typhlocyba</u> <u>comes</u> ) - - - - -	4	132, 133
	6	238
	7	286
<u>Erythroneura hartii</u> Gill. - - - - -	3	69
<u>Erythroneura</u> sp. - - - - -	5	186
<u>Euceraphis deducta</u> Baker - - - - -	4	154
<u>Eudamus proteus</u> L. - - - - -	8	323
<u>Eulia pinatubana</u> Kearf. - - - - -	8	332
<u>Eulia velutinana</u> Walk. - - - - -	2	34
	7	280
<u>Eulypa hastata</u> L. - - - - -	5	204
<u>Euphoria inda</u> L. - - - - -	8	334
<u>Euproctis chrysorrhoea</u> L. - - - - -	2	47
	3	91
	4	152
	6	255
<u>Eurytus eurytheme</u> Boisd. - - - - -	4	117
<u>Euthrips tritici</u> Fitch - - - - -	3	72
	6	263
<u>Euvanessa antiopea</u> L. - - - - -	4	155
<u>Euxoa auxiliaris</u> (see also <u>Chorizagrotis</u> <u>auxiliaris</u> ) - - - - -	4	109
<u>Euxoa</u> sp. - - - - -	4	145
<u>Zvetria buoliana</u> Schiff. - - - - -	8	332

<u>F</u>	<u>No.</u>	<u>Page</u>
<u>Fidia viticida</u> Walsh	4	132
	5	185
<u>Forda olivacea</u> Rohwer	8	312
<u>Forficula auricularia</u> L.	7	307
<u>Formica exsectoides</u> Forel	8	332
<u>Formicidae</u>	3	94
	4	160
<u>Frankliniella cephalicus</u> Craw.	2	42
<u>Frankliniella fusca</u> Hinds	3	90

G

<u>Galerucella luteola</u> Muell.	3	92
	4	154
	6	258
	7	300
	8	330
<u>Gastrophilus haemorrhoidalis</u> L.	7	306
	8	337
<u>Gastrophilus intestinalis</u> DeG.	7	268, 306
	8	337
<u>Gastrophilus nasalis</u> L.	6	268
	7	306
	8	337
<u>Geolca squamosa</u> Hart.	3	312
<u>Geshna cannalis</u> Quaint.	3	96
<u>Goniocotes hologaster</u> Nitzsch	2	51
<u>Gossyparia spuria</u> Modeer	1	16
	2	48
	4	155
	5	204, 205
	6	257
	7	299
<u>Gracilaria perseae</u> Busck	2	42
<u>Gryllidae</u>	6	269
<u>Gryllus assimilis</u> Fab.	1	14
<u>Gryllus domesticus</u> L.	3	101
<u>Gryllus</u> spp.	3	338
<u>Gymnonychus californicus</u> Marlatt	4	127

H

<u>Haematobia irritans</u> L.	1	18
	2	49
	3	99
	4	160
	5	214
	6	267, 268
	7	305
	8	337



<u>Haematosiphon inodorus</u> Duges - - - - -	3	101
<u>Halictus virescens</u> Fab. - - - - -	6	226
<u>Halisdota tessellaris</u> S. & A. - - - - -	6	260
	8	319, 328, 329
<u>Haltica chalybea</u> Ill. - - - - -	3	75
	4	133
	5	186
<u>Haltica foliacea</u> Lec. - - - - -	5	186
<u>Haltica ignita</u> Ill. - - - - -	3	82
	4	139
<u>Haltica litigata</u> Fall. - - - - -	1	13
	4	139
Halticinae - - - - -	2	44
<u>Halticus citri</u> Ashm. - - - - -	7	302
<u>Harmolita grandis</u> Riley - - - - -	2	27, 28
<u>Harmolita tritici</u> Fitch (see also <u>Isosoma</u> <u>tritici</u> ) - - - - -	3	58
	5	171
	7	273, 274
<u>Harmolita vaginicola</u> Doane - - - - -	5	171
	6	220
	8	312
<u>Harmoliza funiferana</u> Clem. (see also <u>Cacoecia</u> <u>funiferana</u> and <u>Tortrix funiferana</u> ) - - - - -	3	94
	4	156
<u>Harpalus caliginosus</u> Fab. - - - - -	8	321, 322
<u>Harpalus</u> sp. - - - - -	6	243
<u>Heliothila albilinea</u> Hbn. - - - - -	6	220
<u>Heliothis obsoleta</u> Fab. - - - - -	1	9
	3	60
	4	149
	5	195
	6	222, 244, 253
	7	275, 276, 296, 297
	8	313, 314, 321
<u>Heliothis virescens</u> Fab. - - - - -	2	29, 45
	5	193
<u>Heliothrips haemorrhoidalis</u> Bouche - - - - -	2	42
<u>Helix aspersa</u> Muller - - - - -	4	147
<u>Hemerocampa leucostigma</u> S. & A. - - - - -	6	255
	8	328
<u>Hemerophila pariana</u> Clerck - - - - -	3	67
	4	120, 121
	6	228, 229
	7	280
	8	316, 317
<u>Hemileuca nevadensis</u> Stretch - - - - -	3	94



	No.	Page
<u>Heterocampa manteo</u> Doubl. - - - - -	8	331
<u>Heterocordylus malinus</u> Reut. - - - - -	4	123
<u>Heterodera raditicola</u> Greef-Mueller - - - - -	4	146
<u>Hippodamia convergens</u> Guer. - - - - -	1	8
	3	65
	6	249
<u>Homalcdra sabalella</u> Chamb. - - - - -	4	153
<u>Hyalopterus arundinis</u> Fab. - - - - -	5	193
<u>Hylastinus obscurus</u> Marsh. - - - - -	2	30
	6	226
<u>Hylemyia antiqua</u> Meig. - - - - -	4	144, 145
	5	192
	6	250
<u>Hylemyia brassicae</u> Bouche (see also		
<u>Phorbia brassicae</u> ) - - - - -	4	138
	6	245
<u>Hylemyia cilicrura</u> Rond. (see also		
<u>Phorbia fusciceps</u> ) - - - - -	3	62
	4	116
	5	142, 190
<u>Hylobius pales</u> Herbst - - - - -	8	332
<u>Hymenia fascialis</u> Cram. - - - - -	8	324
<u>Hymenia perspectalis</u> Hbn. - - - - -	8	321, 324
<u>Hypera punctata</u> Fab. - - - - -	1	9
	2	29
	3	63
	4	117
	6	226
<u>Hyperodes hyperodes</u> Dietz (given as		
<u>Listronotus near tereticollis</u> L.		
in error) - - - - -	3	83
<u>Hyphantria cunea</u> Drury - - - - -	3	68
	4	135
	5	180, 187
	6	201, 229, 230, 239
	7	281, 286
	8	320, 328
<u>Hypoderma bovis</u> DeG. - - - - -	3	93
<u>Hypoderma lineatum</u> DeVill. - - - - -	1	19
	2	50
	5	214
	6	268
	7	306
	8	338
<u>Hysteroneura setariae</u> Thos. - - - - -	2	39
	4	129, 130

I

<u>Icerya purchasi</u> Mask. - - - - -	1	17
	2	41

	<u>No.</u>	<u>Page</u>
<u>Illinoia pisi</u> Kalt. - - - - -	1	13
	2	29, 44
	3	62, 63, 64, 65, 86
	4	142, 143
	5	191
	6	247
	7	290, 291
	8	314
<u>Ips</u> - - - - -	7	301
<u>Ips quadriguttatus</u> Fab. - - - - -	6	264
<u>Irbisia brachycerus</u> Uhler - - - - -	3	95
<u>Iridomyrmex analis</u> Andreu - - - - -	3	104
<u>Iridomyrmex humilis</u> Mayr - - - - -	2	52
	3	103, 104
	4	161
	7	307
	8	336
<u>Isosoma tritici</u> Fitch (see also		
<u>Hermolita tritici</u> ) - - - - -	4	115
<u>Ithycerus noveboracensis</u> Forst. - - - - -	4	126
<u>Itycorsia brunnicans</u> Nort. - - - - -	8	333
<u>J</u>		
<u>Jassidae</u> - - - - -	1	14
	6	230
<u>Joathonota nigripes</u> Oliv. - - - - -	7	292
<u>K</u>		
<u>Kaliofenusa ulmi</u> Sund. - - - - -	6	257
<u>L</u>		
<u>Lachnosterna implicita</u> Horn - - - - -	3	64
<u>Lachnosterna rufosa</u> Melsh. - - - - -	3	64
<u>Lachnosterna</u> spp. (see also		
<u>Phyllonhara</u> ) - - - - -	4	155
<u>Lachnus</u> sp. - - - - -	8	320
<u>Lachnus strobi</u> Fitch - - - - -	8	331
<u>Lampra</u> spp. - - - - -	2	34
<u>Laphygma frugiperda</u> S. & A. - - - - -	3	61
	4	148
	5	176, 199
	6	224
	7	278
<u>Laspeyresia caryana</u> Fitch - - - - -	2	39
	7	286
	8	319, 320

	No.	Page
<u>Laspeyresia interstinctana</u> Clem. - - - - -	6	226
<u>Laspeyresia molesta</u> Busck - - - - -	4	127, 128
	6	236
	7	284
<u>Laspeyresia prunivora</u> Walsh - - - - -	7	280
<u>Lecanium corni</u> Bouche - - - - -	3	74
	6	237
<u>Lecanium numismaticum</u> Pettit & McDaniel --	3	93
<u>Lecanium quercifex</u> Hitch - - - - -	3	93
<u>Lepidosaphes beckii</u> Newm. - - - - -	3	78
	4	135
<u>Lepidosaphes</u> sp. - - - - -	7	293
<u>Lepidosaphes ulmi</u> L. - - - - -	1	10, 11
	2	35, 36
	3	70
	4	125
	5	181, 182
	6	260
	8	328
<u>Leptinotarsa decemlineata</u> Say - - - - -	2	43
	3	79
	4	136
	5	188
	6	242
	7	287
<u>Leptocoris trivittatus</u> Say - - - - -	1	17
	2	43
	6	261
	8	330
<u>Ligyrus gibbosus</u> DeG. - - - - -	3	62
	6	251
<u>Ligyrus (Eutheola) rugiceps</u> Lec. - - - - -	4	150
	5	199
<u>Limoniis</u> sp. - - - - -	4	109
<u>Lina scripta</u> Fab. (see also <u>Melasoma</u> <u>scripta</u> ) - - - - -	6	260
<u>Linoenathus stenosis</u> Burm. - - - - -	2	51
	5	215
	7	306
<u>Lipeurus heterotaphus</u> Mitzsch - - - - -	1	20
	2	51
<u>Lipeurus variabilis</u> Mitzsch - - - - -	2	50
<u>Liponyssus bursa</u> Berlese - - - - -	2	50
<u>Liponyssus silvianum</u> Can. & Fanz. - - - - -	1	20
<u>Lissorhoptrus simplex</u> Say - - - - -	5	199
<u>Listronotus latiusculus</u> Boh. - - - - -	7	287
<u>Listronotus</u> near <u>tereticollis</u> Lec. (given as <u>Hyperodes hyperodes</u> Dietz in error)	3	88
<u>Lithocolletes hamadryella</u> Clem. - - - - -	6	259
<u>Litus concavus</u> Say - - - - -	6	250, 251
<u>Lophyrus abbotii</u> Leach - - - - -	5	203
<u>Lophyrus abietis</u> Harr. - - - - -	3	333
<u>Loxostege similalis</u> Guen. - - - - -	4	145
	5	176, 177, 196

	No.	Page
<u>Loxostere similalis</u> Guen. (Cont.)	6	224, 225
	7	273
	8	314
<u>Loxostere sticticalis</u> L. - - - - -	5	193
	8	323
<u>Lucilia sericata</u> Meig. - - - - -	1	19
	2	49
<u>Ludius inflatus</u> Say - - - - -	3	59
<u>Ludius noxius</u> Hyslop - - - - -	3	58, 59
<u>Luperodes varicornis</u> Lec. - - - - -	5	175
	6	263
	7	277
<u>Lycophotia margaritosa</u> Haw. - - - - -	5	168, 212
<u>Lyctus linearis</u> Goeze - - - - -	2	52
	4	161
<u>Lyctus</u> sp. - - - - -	7	307
<u>Lyctus striatus</u> Melsh. ( <u>Lyctus</u> <u>linearis</u> Goeze) - - - - -	4	161
<u>Lyctidea mendax</u> Reut. - - - - -	3	69
	4	123, 124
<u>Lygus pratensis</u> L. - - - - -	2	29, 36
	6	230, 263
<u>Lytta nuttalli</u> Say - - - - -	5	194
	6	241

M

<u>Macrobasis torsa</u> Lec. - - - - -	3	96
<u>Macrobasis unicolor</u> Kby. - - - - -	5	193
	6	240
<u>Macroductylus subspinosus</u> Fab. - - - - -	4	130, 131, 132, 160
	5	185, 186
	6	237, 238
	7	235, 236
<u>Macroductylus uniformis</u> Horn - - - - -	5	186
<u>Macronoctua onusta</u> Grote - - - - -	1	158
	5	211
	6	264
<u>Macrosiphoniella sanborni</u> Gill. - - - - -	5	210
<u>Macrosiphum granarium</u> Koy. - - - - -	4	112
	5	172
	6	220
<u>Macrosiphum illinoisensis</u> Shimer - - - - -	5	135
	6	238
<u>Macrosiphum lillii</u> Monell - - - - -	8	335
<u>Macrosiphum rosae</u> L. - - - - -	5	210
<u>Macrosiphum rudbeckiae</u> Fitch - - - - -	5	211
<u>Macrosiphum solanifolii</u> Ashm. - - - - -	4	137
	6	243
	7	287, 238
	8	321

	No.	Page
<u>Malacosoma americana</u> Fab. - - - - -	2	33, 34, 47
	3	67, 68
	4	121, 122
	5	180
	6	229
	8	333, 334
<u>Malacosoma disstria</u> Hubn. - - - - -	3	91
	4	152, 153
	5	201
	8	328
<u>Mamestra picta</u> Harris - - - - -	5	194
	6	245
<u>Margaropus annulatus</u> Say - - - - -	1	19
<u>Megalopyge ocellularis</u> S. & A. - - - - -	8	336
<u>Megastigmus</u> sp., near <u>lasiocarpae</u> Crosby - - -	3	105
<u>Merilla maculata</u> DeG. - - - - -	3	65
<u>Melanophila fulvoguttata</u> Harr. - - - - -	8	333
<u>Melanoplus atlantis</u> Riley - - - - -	3	64
	4	110
	5	167
	7	271
<u>Melanoplus bivittatus</u> Say - - - - -	3	64
	4	110, 111
	5	166, 167
	6	218
	7	271
	8	310
<u>Melanoplus differentialis</u> Thom. - - - - -	3	111
	5	166
	7	272
<u>Melanoplus femur-rubrum</u> DeG. - - - - -	5	167
	7	297
	8	310
<u>Melanoplus packardii</u> Scudd. - - - - -	5	167
<u>Melanotus</u> sp. - - - - -	5	192
<u>Melanoxanthium</u> sp. - - - - -	8	334
<u>Melasoma scripta</u> Fab. (see also <u>Lina</u> <u>scripta</u> ) - - - - -	8	334
<u>Melittia satyriniformis</u> Hbn. - - - - -	6	250
<u>Meloidae</u> - - - - -	6	240
	7	286, 287
<u>Menopon biserialum</u> Piaget - - - - -	1	20
	2	51
	3	100
<u>Menopon heterographus</u> Nitzsch - - - - -	3	100
<u>Menopon pallidum</u> Nitzsch - - - - -	2	51
<u>Merodon equestris</u> Fab. - - - - -	2	45

	No.	Page
<u>Meromyza americana</u> Fitch - - - - -	3	57
	5	170, 171
<u>Meromyza nigriventris</u> Macq. - - - - -	5	171
<u>Metachroma antennalis</u> Weise - - - - -	5	196
<u>Metachroma interruptum</u> Say - - - - -	6	233
<u>Metriona bicolor</u> Fab. - - - - -	3	80
<u>Microcentrum rhombifolium</u> Sausse - - - - -	3	74
<u>Mineola indigenella</u> Zell. - - - - -	3	66
<u>Monarthropalpus buxi</u> Labou. - - - - -	3	96
	5	212
	6	240
<u>Monellia caryella</u> Fitch - - - - -	6	
<u>Monomorium minimum</u> Buckley - - - - -	3	103, 104
<u>Monomorium pharaonis</u> L. - - - - -	3	102, 104
<u>Monophadnoides rubi</u> Harr. - - - - -	3	74
	4	130
<u>Murrantia histrionica</u> Hahn - - - - -	1	13
	3	81
	6	245
	7	289
	8	321
<u>Musca domestica</u> L. - - - - -	1	18
	3	100
	4	159
	6	266
<u>Mylabris obtectus</u> Say (see also <u>Bruchus</u>		
<u>obtectus</u> ) - - - - -	1	21
	2	52
	3	104
	4	162
<u>Mylabris pisorum</u> L. (see also <u>Bruchus</u>		
<u>pisorum</u> ) - - - - -	2	52
	3	104
	3	62
<u>Myochrous denticollis</u> Say - - - - -	3	78
<u>Myrmelachista ambigua ramulorum</u> Wh. - - - - -	3	258
<u>Myzocallis ulmifolii</u> Monell - - - - -	6	147
<u>Myzus brazaei</u> Gillette - - - - -	4	73
<u>Myzus cerasi</u> Fab. - - - - -	3	128
	4	236
	6	72
<u>Myzus persicae</u> Sulz. - - - - -	3	128
	4	133
	5	243, 251
	6	284, 285, 283
	7	321
	8	39
<u>Myzus ribis</u> L. - - - - -	2	75, 76
	3	134
	4	187
	5	

	<u>N</u>	<u>No.</u>	<u>Page</u>
Nematodes - - - - -		1	14
		5	177
<u>Nematus erichsonii</u> Hartig - - - - -		8	331
<u>Neolecanium cornuparvum</u> Thos. - - - - -		7	303
<u>Neophasia menapia</u> Feld. - - - - -		5	207
<u>Nezara hilaris</u> Say - - - - -		6	235, 241, 242
		7	283, 290
<u>Nezara viridula</u> L. - - - - -		2	40
		3	84, 87, 90
		6	242
		7	290
		8	320
<u>Noctua clandestina</u> Harr. - - - - -		2	46
		6	226
Noctuidae - - - - -		2	46
		3	80, 88
		4	109, 137, 146, 149
		5	168, 197
		6	241
		8	310
<u>Nodonota puncticollis</u> Say - - - - -		4	157
<u>Nodonota tristis</u> Oliv. - - - - -		6	263
<u>Notonecta undulata</u> Say - - - - -		2	52
<u>Notoxus talpa</u> Laf. - - - - -		5	184
<u>Myzius ericae</u> Schill. - - - - -		4	117, 139, 147
		5	189
<u>O</u>			
<u>Oberea bimaculata</u> Oliv. - - - - -		3	74
		6	237
		7	285
<u>Oecanthus nigricornis</u> Walk. - - - - -		3	75
<u>Oecanthus niveus</u> DeG. - - - - -		7	283
		8	318
<u>Oecanthus</u> sp. - - - - -		2	34
<u>Oestrus ovis</u> L. - - - - -		3	101
<u>Oncideres cingulata</u> Say - - - - -		2	40
		7	298
		8	320, 329
<u>Orchestes pallicornis</u> Say - - - - -		4	126
		6	232
<u>Oxyptilus periscelidactylus</u> Fitch - - - - -		4	132
		5	186
<u>P</u>			
<u>Pachnaeus litius</u> Germ. - - - - -		2	42
<u>Pachystethus lucicola</u> Fab. - - - - -		3	84
<u>Pachyzancla bipunctalis</u> Fab. - - - - -		8	323, 324



	No.	Page
<u>Faleacrita vernata</u> Feck	1	10
	2	34
	3	63
	4	122, 123, 152
	5	205, 206
<u>Falorus depressus</u> Fab.	2	52
<u>Fantomorus fulleri</u> Horn	7	286
<u>Fapaipema cataphracta</u> Grote	6	255
<u>Fapaipema nitela</u> Guen.	4	116
	5	174, 189
	6	222, 223, 239
<u>Fapaipema</u> sp.	5	212
	6	263, 264, 266
<u>Fapilio glaucus</u> L. var. <u>turnus</u> L.	6	265
<u>Fapilio philenor</u> L.	6	265
<u>Fapilio polyxenes</u> Fab.	4	145
<u>Paratenodera sinensis</u> Sauss.	7	304
<u>Paratetranychus pilosus</u> C. & F.	1	11
	2	35
	3	70
	4	126
	6	231, 232
	7	282
<u>Paria canella</u> Fab.	3	82
	4	140
<u>Parlatoria pergandii</u> Comst.	3	96
<u>Pediculoides ventricosus</u> New.	4	159
<u>Pediculopsis graminum</u> Reut.	5	173
<u>Pezomya hyoscyami</u> Panz.	4	145
	5	193
<u>Pemphigus fraxinifolii</u> Thom.	5	203
<u>Pemphigus vagabundus</u> Walsh	6	260
Pentatomidae	7	297
<u>Peribalus limbolarius</u> Stal	6	245
<u>Perillus bioculatus</u> Fab.	6	242
<u>Periphyllus lyropicta</u> Kies.	3	331
<u>Periphyllus negundinis</u> Thos.	5	204
<u>Peripsocus</u> sp.	3	312
<u>Rheicole flavens</u> Roger subsp.		
<u>floridana</u> Emery	3	102
<u>Rheletes occidentalis</u> Cand.	4	110
<u>Rheletes</u> sp.	3	59
<u>Rhenacoccus acericola</u> King	6	259
<u>Phanoxus carnifex</u> L. (given in error, should be <u>Cotinis texana</u> Casey)	6	235
<u>Phigalia titea</u> Cramer	4	125, 126
<u>Philaenus leucophthalmus</u> L.	6	262
<u>Phlegethontius quinquemaculata</u> Haw. (see also <u>Protoparce quinquemaculata</u> )	7	238

	No.	Page
<u>Phloeosinus curressi</u> Hopk. - - - - -	7	301
<u>Phloeosinus dentatus</u> Say - - - - -	5	209
<u>Phlyctaenia ferrugalis</u> Hbn. - - - - -	1	15
	5	212
<u>Phlyctaenia rubigalis</u> Guen. - - - - -	8	235
<u>Phobetron pithecium</u> S. & A. - - - - -	7	280
<u>Phorbia brassicae</u> Bouche (see also <u>Hylemyia</u> <u>brassicae</u> ) - - - - -	3	81
<u>Phorbia fuscirostris</u> Zett. (see also <u>Hylemyia</u> <u>ciliatula</u> ) - - - - -	4	116
<u>Phorbia rubivora</u> Coq. - - - - -	4	130
<u>Phormia regina</u> Meig. - - - - -	1	18
	2	49
	3	100
	6	267
	7	305
<u>Phyllaphis fagi</u> L. - - - - -	5	203
<u>Phyllobius oblongus</u> L. - - - - -	5	200, 201
<u>Phyllocoptes cornutus</u> Banks - - - - -	7	284
<u>Phyllocoptes quadriipes</u> Shim. - - - - -	4	156
<u>Phyllophaga fusca</u> Froe. - - - - -	4	113
<u>Phyllophaga</u> sp. (see also <u>Lachnosterna</u> ) - - -	2	45
	3	62, 64
	4	112, 113
	5	169
	6	218
	7	272, 287
<u>Phyllotreta armoraciae</u> Koch - - - - -	6	251
<u>Phyllotreta pusilla</u> Horn - - - - -	4	138
<u>Phyllotreta vittata</u> Fab. - - - - -	3	81, 82, 83
	4	138
<u>Phylloxera devastatrix</u> Perg. - - - - -	4	135
<u>Phylloxera vitifoliae</u> Fitch - - - - -	7	285
<u>Phymatodes testaceus</u> L. - - - - -	4	161
<u>Phymatodes variabilis</u> L. - - - - -	4	161
<u>Pytonomus nigrirostris</u> Fab. - - - - -	1	9
	2	29
	3	63
	4	117
<u>Pytonomus posticus</u> Gyll. - - - - -	2	29
	4	116, 117
	5	175, 176
	6	223, 224
<u>Phytophaga destructor</u> Say - - - - -	1	7
	2	24, 25, 26
	3	56, 57
	4	114, 115
	5	169, 170
	6	219
	7	273, 274
	8	310, 311

	No.	Page
<u>Fissodes strobi</u> Peck - - - - -	6	259, 260
	3	332
<u>Flagiodera versicolora</u> Leich. - - - - -	4	157
<u>Platoceticus gloverii</u> Peck. - - - - -	1	12
	2	42
<u>Platyptilia</u> sp. - - - - -	2	44
<u>Platyrus compositus</u> Say - - - - -	2	41
<u>Plodia interpunctella</u> Hbn. - - - - -	3	105
	7	308
<u>Podosesia fraxini</u> Luggor - - - - -	5	203
<u>Podosesia syringae</u> Harr. - - - - -	4	154
	6	264
	8	345
<u>Poecillocapsus lineatus</u> Fab. - - - - -	4	133, 146
<u>Pogonomyrmex occidentalis</u> Cress. - - - - -	7	307
<u>Polychrosis viteana</u> Clem. - - - - -	6	238
	7	286
<u>Pomohopoea sayi</u> Lec. - - - - -	4	157, 158
<u>Pontia rapae</u> L. - - - - -	3	81
	4	137
	5	189
	6	244, 245
	7	283
	8	321
<u>Popillia japonica</u> Newm. - - - - -	3	95
<u>Porcellio rathkei</u> Brandt - - - - -	6	262
<u>Porcellio scaber</u> Latr. - - - - -	4	147
<u>Forthetria dispar</u> L. - - - - -	2	46
	3	91
	4	152
	6	255
<u>Prenolepis imparis</u> Say - - - - -	3	104
<u>Prenolepis longicornis</u> Latr. - - - - -	3	103
<u>Prionus laticollis</u> Drury - - - - -	5	182
<u>Prociophilus tessellatus</u> Fitch - - - - -	4	156
<u>Prodenia ornithogalli</u> Guen. - - - - -	3	80, 89
	5	195
	7	278
<u>Proteopteryx bolliana</u> Sling. - - - - -	2	39
	3	77
	2	48
<u>Proteopteryx willingana</u> Kearf. - - - - -	2	
<u>Protoparce quinqueangulata</u> Haw. (see also <u>Phlerethontius quinqueangulata</u> ) - - - - -	56	198
<u>Protoparce sexta</u> Joh. - - - - -	3	90
	5	193
	8	327
<u>Protoparce</u> spp. - - - - -	5	195
<u>Protopulvinaria pyriformis</u> Ckll. - - - - -	2	42
<u>Psallus seriatus</u> Reut. - - - - -	7	297
<u>Pseudaonidia duplex</u> Ckll. - - - - -	4	154

	No.	Page
<u>Pseudococcus citri</u> Risso - - - - -	3	88
<u>Pseudococcus maritimus</u> Ehrh. - - - - -	8	319
<u>Pseudococcus nipae</u> Mask. - - - - -	2	43
<u>Psila rosae</u> Fab. - - - - -	3	88
<u>Psoroptes communis</u> Furst. - - - - -	1	19, 20
<u>Psylla pyricola</u> Foerst. - - - - -	2	37
	3	70, 71
	5	122
	6	233, 234
<u>Pteronidea ribesi</u> Scop. - - - - -	3	76
	4	134
	5	187
<u>Ptilinus ruficornis</u> Say - - - - -	6	259
<u>Ptychodes vittata</u> Fab. - - - - -	3	77
<u>Pulex irritans</u> L. - - - - -	3	97
	4	159
<u>Pulviharica vitis</u> L. - - - - -	1	17
	2	40
	4	155, 156
	5	206
<u>Pyralis farinalis</u> L. - - - - -	5	177
<u>Pyrausta ainsliei</u> Heinr. - - - - -	3	61
<u>Pyrausta nubilalis</u> Hbn. - - - - -	3	61
	6	225
	7	277

## R

<u>Rachela bruceata</u> Hulst - - - - -	2	33
<u>Reticulitermes flavipes</u> Kol. - - - - -	1	21
	2	38
	3	102
	5	215
	6	269
<u>Reticulitermes virginicus</u> Banks - - - - -	3	102
<u>Rhaconotus cingulata</u> Loew. - - - - -	6	236
<u>Rhaconotus pomonella</u> Walsh - - - - -	1	10
	2	34
	8	317
<u>Rhizopsis effracta</u> Lec. - - - - -	3	75
	4	132
<u>Rhipicephalus sanguineus</u> Latr. - - - - -	1	20
<u>Rhodites bicolor</u> Harr. - - - - -	5	211
<u>Rhopalosiphum nymphaeae</u> L. - - - - -	6	265
<u>Rhopalosiphum prunifoliae</u> Fitch - - - - -	2	31
	3	65
	7	279
	8	315
<u>Rhopalosiphum pseudobrassicae</u> Davis - - - - -	6	251

No.	Page
<u>Rhopobota naevana</u> Hbn. - - - - -	4 134
<u>Rhyacionia frustrana</u> Comst. - - - - -	5 208
<u>Rhynchites bicolor</u> Fab. - - - - -	4 157
	6 265

S

<u>Saissetia oleae</u> Bern. - - - - -	5 157, 183
<u>Saperda calcarata</u> Say - - - - -	5 208
<u>Saperda candida</u> Fab. - - - - -	1 11
<u>Saperda tridentata</u> Oliv. - - - - -	2 43
	6 253
<u>Saropogon dispar</u> Coq. - - - - -	7 304
<u>Schizax senex</u> Lec. - - - - -	1 17
<u>Schizura concinna</u> S. & A. - - - - -	7 279
<u>Sciara hastata</u> Johan. - - - - -	2 46
<u>Scirtothrips citri</u> Moulton - - - - -	1 12
	3 73
<u>Scolytus quadrispinosus</u> Say - - - - -	3 92
	4 155
	6 258
<u>Scolytus ruulosus</u> Ratz. - - - - -	1 11
	2 36
	3 72
	5 183
	6 235
	7 283
	8 313
<u>Scutellista cyanea</u> Motsch. - - - - -	5 187
<u>Secodella acrobasis</u> Cwfd. - - - - -	2 40
<u>Semasia nigricana</u> Steph. - - - - -	7 291
<u>Serica parallela</u> Casey - - - - -	6 262, 263
<u>Silvanus surinamensis</u> L. - - - - -	8 333
<u>Sinulium</u> sp. prob. <u>pecuarum</u> Riley - - - - -	3 93
<u>Sirha flava</u> Forbes - - - - -	2 26
<u>Siphonaptera</u> - - - - -	3 97
	4 159
	5 213
	8 336
<u>Sitona hispidulus</u> Fab. - - - - -	6 226
	8 314
<u>Sitotroga cerealella</u> Oliv. - - - - -	8 333
<u>Smynturus</u> sp. - - - - -	3 87
<u>Solenopotes capillatus</u> Enderlein - - - - -	1 18
<u>Solenopsis geminata</u> Fab. - - - - -	3 82, 104
	8 320
<u>Solenopsis geminata</u> Fab. subsp. <u>rufa</u> Jerdon - - - - -	3 103
<u>Solenopsis molesta</u> Say - - - - -	3 104
	4 160
<u>Sphenophorus aequalis</u> Gyll. - - - - -	5 175

	No.	Page
<u>Sphenophorus destructor</u> Chitt. - - - - -	3	64
<u>Sphenophorus ochreus</u> Lec. - - - - -	4	116
<u>Sphenophorus parvulus</u> Gyll. - - - - -	3	64
	4	116
<u>Sphenophorus</u> sp. - - - - -	3	61, 64
	4	116
	5	175
<u>Sphenophorus venatus</u> Say - - - - -	3	64
<u>Sphenophorus zeae</u> Walsh - - - - -	3	64
<u>Stictocephala festina</u> Say - - - - -	41	9
	5	181
<u>Stilpnobia salicis</u> L. - - - - -	5	208
<u>Stomoxys calcitrans</u> L. - - - - -	1	18
	2	49
	3	99, 100
	5	213
	7	305
	8	337
<u>Straussia longipennis</u> Wied. - - - - -	7	303
<u>Sycophanta</u> sp. - - - - -	8	327
<u>Systena hudsonias</u> Forst. - - - - -	4	126
<u>Systena taeniata</u> Melsh. - - - - -	4	116, 126, 137
	5	194
<u>Systena taeniata</u> var. <u>blanda</u> Melsh. - - - - -	4	140
	5	193

T

<u>Tabanus lasiophthalmus</u> Macq. - - - - -	5	214
	6	268
<u>Tabanus lineola</u> Fab. - - - - -	5	214
<u>Tabanus pumilus</u> Macq. - - - - -	3	99
<u>Tabanus rubescens</u> Bellardi - - - - -	3	99
<u>Taeniothrips inconsequens</u> Uzel - - - - -	2	36, 37
<u>Tapinoma sessile</u> Say - - - - -	4	161
<u>Tarsonemus pallidus</u> Banks - - - - -	8	335
<u>Tenebrio obscurus</u> L. - - - - -	3	105
	7	308
<u>Tenebrioëdes mauritanicus</u> L. - - - - -	2	52
	7	308
	8	338
<u>Tetanops aldrichi</u> Hendel - - - - -	5	193
<u>Tetramorium guineense</u> Fab. - - - - -	3	103
<u>Tetranychus</u> sp. - - - - -	4	140
	6	237, 246
<u>Tetranychus telarius</u> L. - - - - -	1	13
	3	95
	5	208
	6	254, 259, 262
	7	285, 297



	No.	Page
<u>Tetranychus viridis</u> Banks - - - - -	3	318
<u>Tetranychus yothersi</u> McGregor - - - - -	2	43
<u>Thecodiplosis liriodendri</u> O. S. - - - - -	5	209
	6	261
<u>Therioaphis tiliae</u> L. - - - - -	7	302
<u>Thrips tabaci</u> Linä.- - - - -	1	14
	4	124
	5	193
	6	247, 250, 263
	7	292
<u>Thyridopteryx ephemeraeformis</u> Haw. - - - - -	3	91, 92
	5	201, 202
	6	256
	7	298
	8	328
<u>Tibicina septendecim</u> L. - - - - -	3	90, 91
	4	150, 151, 152
	5	200
	6	254, 255
	7	298
	8	327, 328
<u>Tinea pellionella</u> L.-- - - - -	3	101
<u>Tmetocera ocellana</u> D. & S. - - - - -	2	34
	3	67
	4	121
	6	264
<u>Tolype vellea</u> Comst. - - - - -	6	
<u>Tortrix fumiferana</u> Clem. (see also		
<u>Cacoecia fumiferana</u> and <u>Harmolopa</u>		
<u>fumiferana</u> ) - - - - -	5	208
<u>Tortrix quercifoliana</u> Fitch - - - - -	4	156
	5	207
<u>Toumeyella liriodendri</u> Gmel. - - - - -	6	261
	7	302
	8	335
<u>Toumeyella pini</u> King - - - - -	4	156
<u>Toxoptera graminum</u> Rond.- - - - -	1	7, 8
	2	26, 27
	3	57, 58
<u>Toxotrypana curvicauda</u> Gerst.- - - - -	2	41
<u>Trachelus tabidus</u> Fabr.- - - - -	5	172
<u>Trama erigeronensis</u> Thos. - - - - -	5	210, 211
<u>Trialeurodes floridensis</u> Q. - - - - -	2	43
<u>Tribolium confusum</u> Duv.- - - - -	3	104
	4	162
<u>Trichobaris trinotata</u> Say - - - - -	8	321
<u>Trichodectes climax</u> Nitzsch - - - - -	1	20
<u>Trichodectes scolaris</u> Nitzsch - - - - -	1	18
<u>Trichogramma minutum</u> Riley - - - - -	5	199
<u>Trombicula tlalzahuatl</u> Murray - - - - -	3	98, 101
	5	213
	6	267
	7	305



	<u>No.</u>	<u>Page</u>
<u>Tylenchus dipsasi</u> Kuhn - - - - -	5	211
<u>Tyloderma fragariae</u> Riley - - - - -	3	22
<u>Typhlocyba comes</u> Say (see also	8	321
<u>Erythroneura comes</u> ) - - - - -	2	40
	3	75
<u>Typhlocyba rosae</u> L. - - - - -	4	157
<u>Tyroglyphus</u> sp. - - - - -	8	338

U

<u>Uranotes melinus</u> Hbn. - - - - -	-5	196
--	----	-----

XYZ

<u>Xylina antennata</u> Walker - - - - -	4	121
	7	280, 231
<u>Zeuzera pyrina</u> Fab. - - - - -	-3	92

# Common Name Index

The following list of common names is appended for the convenience of readers of this number of the Insect Pest Survey Bulletin and in no way should be construed as an approved list of common names; in fact, many of the names in this list will have radically different names proposed by the Committee of the American Association of Economic Entomologists. The names followed by the letters "a.n.o." are names which have already been approved by the American Association of Economic Entomologists and, for the time being, can be considered as standard. The others must be regarded as tentative.

## A

## See

Abbot's white pine sawfly - - - - -	<u>Leophyrus abbotii</u> Leach
Alder blight - - - - -	<u>Procladius tessellatus</u> Fitch
Alfalfa caterpillar - - - - -	<u>Eurytus eurythera</u> Boisd.
Alfalfa weevil a. n. o. - - - - -	<u>P. ytonomus posticus</u> Gyll.
Anomala - - - - -	<u>Anomala orientalis</u> Waterh.
Ants - - - - -	Formicidae
Apple and thorn skeletonizer - - - - -	<u>Heterophila pariana</u> Clerck
Apple flea weevil - - - - -	<u>Orchestes pallicornis</u> Say
Apple-grain aphid - - - - -	<u>Rhopalosiphum prunifoliae</u> Fitch
Apple leafhopper - - - - -	<u>Empoasca mali</u> LeB.
Apple raggot a.n.o. - - - - -	<u>Ragoletis pomonella</u> Walsb.
Apple red bug - - - - -	<u>Heterocorylus malinus</u> Reut.
Arccovitae leaf-miner - - - - -	<u>Aravrestria thutella</u> Pack.
Argentine ant a.n.o. - - - - -	<u>Iridomyrmex humilis</u> Mayr
Argus tortoise-beetle - - - - -	<u>Chelymochra cassidea</u> Fab.
Armyworm a.n.o. - - - - -	<u>Carpis unipuncta</u> Haw.
Artichoke plume moth - - - - -	<u>Platyptilia</u> sp.
Ash aphid - - - - -	<u>Pemphigus fraxinifolii</u> Thon.
Ash borer - - - - -	<u>Podocesia fraxini</u> Lugger
Ash-gray blister-beetle a.n.o. - - - - -	<u>Macrobasis unicolor</u> Kby.
Asparagus beetle - - - - -	<u>Crioceris asparagi</u> L.
Avocado blossom thrips - - - - -	<u>Frankliniella cephalicus</u> Craw.
Avocado leafhopper - - - - -	<u>Empoasca minuenda</u> Ball
Avocado leaf-roller - - - - -	<u>Cracilaria perseae</u> Busck
Avocado leaf thrips - - - - -	<u>Heliothrips haemorrhoidalis</u> Bouche
Avocado red-spider - - - - -	<u>Tetranychus votiersi</u> McG.
Avocado whitefly - - - - -	<u>Trialeurodes floridensis</u> Q.

## B

Bagworm a.n.o. - - - - -	<u>Thyridoteryx ephemeraeformis</u> Haw.
Barn-swallow bug - - - - -	<u>Oeciacus vicarius</u> Horv.
Basswood aphid - - - - -	<u>Therioaphis tiliae</u> L.
Bean aphid - - - - -	<u>Aphis rumicis</u> L.
Bean leaf-beetle a.n.o. - - - - -	<u>Cerotoma trifurcata</u> Foerst.
Bean leaf-roller a.n.o. - - - - -	<u>Eudamus proteus</u> L.
Bean weevil a.n.o. - - - - -	<u>Mylabris octectus</u> Say
Bee louse - - - - -	<u>Braula coeca</u> Nitzsch
Belted cucumber-beetle - - - - -	<u>Diabrotica balteata</u> Lec.

See

Birch leaf-skeletonizer - - - - -	<u>Bucculatrix canadensisella</u> Charb.
Biting louse of cattle - - - - -	<u>Trichodectes scalaris</u> Nitzsch
Blackberry crown-borer - - - - -	<u>Bombecia marginata</u> Harr.
Black blow-fly - - - - -	<u>Phormia regina</u> Meig.
Black chrysanthemum aphid - - - - -	<u>Macrosiphoniella sanborni</u> Gill.
Black fly - - - - -	<u>Simulium</u> sp.
Black grain-stem sawfly - - - - -	<u>Trachelus tabidus</u> Fabr.
Black-headed cranberry worm a.n.o. - - - - -	<u>Rhombota naevana</u> Hbn.
Black-legged tortoise-beetle - - - - -	<u>Jonthonota nigripes</u> Oliv.
Black peach aphid a.n.o. - - - - -	<u>Anurephis persicae-niger</u> Smith
Black plant-bug - - - - -	<u>Irbisia brachycerus</u> Uhler
Black scale a.n.o. - - - - -	<u>Saissetia oleae</u> Bern.
Black swallow-tail butterfly - - - - -	<u>Papilio polyxenes</u> Fab.
Black vine weevil - - - - -	<u>Brachyrhinus sulcatus</u> Fab.
Blister-beetles - - - - -	Meloidae
Blood-sucking cattle louse - - - - -	<u>Solenopotes capillatus</u> Enderlein
Blossom anomala - - - - -	<u>Anomala undulata</u> Melsh.
Boll weevil a.n.o. - - - - -	<u>Anthonomus grandis</u> Boh.
Booklouse - - - - -	<u>Atropos divinatoria</u> Muell.
Boxelder aphid a.n.o. - - - - -	<u>Periphyllus negundinis</u> Thos.
Boxelder plant-bug - - - - -	<u>Leptocoris trivittatus</u> Say
Boxelder twig-borer - - - - -	<u>Proteopteryx willingana</u> Kearf.
Boxwood leaf-miner - - - - -	<u>Monarthropalpus buxi</u> Labou.
Bronze birch borer - - - - -	<u>Agrius anxius</u> Gory
Brown colaspis - - - - -	<u>Colaspis brunnea</u> Fab.
Brown dog tick - - - - -	<u>Rhipicephalus sanguineus</u> Latr.
Brown plum aphid - - - - -	<u>Hysteroeura setariae</u> Thos.
Brown-tail moth - - - - -	<u>Euproctis chrysorrhoea</u> L.
Brown winter tick - - - - -	<u>Dermacentor nigrolineatus</u> Pack.
Bruce's measuring-worm - - - - -	<u>Rachela bruceata</u> Hulst
Bud moth a.n.o. - - - - -	<u>Imetocera ocellana</u> D. & S.
Butworm - - - - -	<u>Heliothis virescens</u> Fab.
Buffalo trechopper a.n.o. - - - - -	<u>Ceresa bubalus</u> Fab.
Bumble flower-beetle - - - - -	<u>Euphoria inda</u> L.

C

Cabbage aphid - - - - -	<u>Brevicoryne brassicae</u> L.
Cabbage curculio - - - - -	<u>Ceutorhynchus ranae</u> Gyll.
Cabbage maggot a.n.o. - - - - -	<u>Hydemyia brassicae</u> Bouche
Cabbage worm (imported cabbageworm a.n.o.) - - - - -	<u>Pontia ranae</u> L.
Cadelle - - - - -	<u>Tenebroides mauritanicus</u> L.
California pear sawfly - - - - -	<u>Gymnonychnus californicus</u> Marlatt
Camphor scale - - - - -	<u>Pseudonidia duplex</u> Kkll.
Camphor thrips a.n.o. - - - - -	<u>Cryptothrips floridensis</u> Watson
Carrot must fly - - - - -	<u>Psila rosae</u> Fab.
Catalpa midge - - - - -	<u>Cecidomyia catalpae</u> Comst.
Catalpa sphinx a.n.o. - - - - -	<u>Ceratonia catalpae</u> Boisd.
Cattle scab - - - - -	<u>Psoroptes communis</u> Furst.
Cattle tick a.n.o. - - - - -	<u>Margaropus annulatus</u> Say
Chaff scale a.n.o. - - - - -	<u>Parlatoria pergandii</u> Comst.
Cherry aphid a.n.o. - - - - -	<u>Myzus cerasi</u> Fab.

Cherry fruit-fly	<u>Rhagoletis cingulata</u> Loew
Chicken head louse	<u>Lépeurus heterographus</u> Nitzsch
Chicken mite	<u>Dermanyssus gallinae</u> Redi
Chigger.	<u>Trombicula tlalzahuatl</u> Murray
Chinch bug a.n.o.	<u>Blissus leucopterus</u> Say
Chinese praying mantis	<u>Paratenodera sinensis</u> Sauss.
Chrysanthemum gall-midge	<u>Diarthronomyia hynogaea</u> F. Loew
Chrysanthemum leaf-tyer	<u>Phlyctaenia rubipalis</u> Guen.
Citrus root weevil	<u>Pachnaeus litius</u> Germ.
Citrus thrips	<u>Scirtothrips citri</u> Moulton
Citrus whitefly a.n.o.	<u>Dialeurodes citri</u> Ashm.
Climbing cutworms	<u>Leuca</u> spp.
Clothes moth	<u>Tinea pellionella</u> L.
Clover-leaf weevil	<u>Hypera punctata</u> Fab.
Clover mite a.n.o.	<u>Bryobia praetiosa</u> Koch
Clover root-borer a.n.o.	<u>Hylastinus obscurus</u> Marsh.
Clover-root curculio	<u>Sitona hispidulus</u> Fab.
Clover-seed caterpillar	<u>Lespedeza interstinctana</u> Clem.
Clover-seed chalcid	<u>Bruchonagus funebris</u> How.
Coconut mealybug	<u>Pseudococcus nipae</u> Mask.
Codling moth a.n.o.	<u>Carocapsa pomonella</u> L.
Common field cricket	<u>Gryllus assimilis</u> Fab.
Common goat louse	<u>Trichodectes olimax</u> Nitzsch
Common mealybug	<u>Pseudococcus citri</u> Risse
Confused flour beetle	<u>Tribolium confusum</u> Duv.
Corn earworm	<u>Heliothis obsoleta</u> Fab.
Corn-leaf aphid	<u>Aphis maidis</u> Fitch
Corn-root webworm	<u>Crambus caliginosellus</u> Clem.
Cotton aphid a.n.o.	<u>Aphis gossypii</u> Glov.
Cotton flea	<u>Psallus seriatus</u> Reut.
Cotton leaf-bug	<u>Adelphocoris rapidus</u> Say
Cotton leaf perforator	<u>Bucculatrix thurberiella</u> Busck
Cotton leafworm	<u>Alabama argillacea</u> Hon.
Cotton red-spider	<u>Tetranychus telarius</u> L.
Cotton square-borer	<u>Uranotes melinus</u> Hon.
Cottonwood leaf-beetle	<u>Melasoma scarita</u> Fab.
Cottony-cushion scale a.n.o.	<u>Icerya purchasi</u> Mask.
Cottony grass scale	<u>Erionettis festucae</u> Fonsc.
Cottony-maple scale a.n.o.	<u>Pulvinaria vitis</u> L.
Cowpea curculio	<u>Chalcodermus aeneus</u> Boh.
Crazy ant	<u>Prenolepis longicornis</u> Latr.
Crickets	Gryllidae
Curfant aphid a.n.o.	<u>Myzus ribis</u> L.
Cutting ant	<u>Atta texana</u> Buck.
Cutworms	Noctuidae
D	
Dandelion-root aphid	<u>Trama erigeronensis</u> Thos.
Dark mealworm	<u>Tenebrio obscurus</u> L.
Depressed flour-beetle	<u>Palorus depressus</u> Fab.
Dictyospermum scale	<u>Chrysomphalus dictyospermi</u> Morgan
Dry-land wireworm	<u>Ludius nexius</u> Hyslop

E

See

Eight-spotted forester a.n.o. - - - - -	- <u>Alysiæ octomaculata</u> Fab.
Elm aphid - - - - -	- <u>Myzocallis ulmifolii</u> Monell
Elm borer a.n.o. - - - - -	- <u>Saperda tridentata</u> Oliv.
Elm cockscomb gall - - - - -	- <u>Colopha ulmicola</u> Fitch
Elm leaf-beetle - - - - -	- <u>Galerucella luteola</u> Mull.
Elm leaf-miner - - - - -	- <u>Kaliopenesa ulmi</u> Sund.
Euonymus scale a.n.o. - - - - -	- <u>Chionaspis euonymi</u> Comst.
European corn-orer a.n.o. - - - - -	- <u>Pyrausta nubilalis</u> Huebn.
European earwig - - - - -	- <u>Forficula auricularia</u> L.
European-elm scale a.n.o. - - - - -	- <u>Cossyparia spuria</u> Modeer
European fruit lecanium - - - - -	- <u>Lecanium corni</u> Bouche
European hen flea - - - - -	- <u>Ceratophyllus gallinae</u> Schrank
European pine-shoot moth - - - - -	- <u>Evetria buoliara</u> Schiff.
European red-mite - - - - -	- <u>Paratetranychus pilosus</u> C. & F.

F

Fall armyworm a.n.o. - - - - -	- <u>Lachygma frugiperda</u> S. & A.
Fall cankerworm a.n.o. - - - - -	- <u>Aisonhila nemetaria</u> Harr.
Fall webworm a.n.o. - - - - -	- <u>Hyphantria cunea</u> Drury
False apple red-bug - - - - -	- <u>Lygidea mendax</u> Reut.
False chinch-bug - - - - -	- <u>Nysius ericae</u> Schill.
Feather mite - - - - -	- <u>Liponyssus alvium</u> C. & F.
Fire ant - - - - -	- <u>Solenopsis geminata</u> Fab.
Fir sawfly - - - - -	- <u>Lophyrus abietis</u> Harr.
Flat-headed apple-tree borer a.n.o. - - - - -	- <u>Chrysobothris femerata</u> Oliv.
Flat-headed hemlock borer - - - - -	- <u>Melanophila fulvoguttata</u> Harr.
Flea-beetles - - - - -	- <u>Halticinae</u>
Fleas - - - - -	- <u>Siphonaptera</u>
Flower thrips a.n.o. - - - - -	- <u>Euthrips tritici</u> Fitch
Fluff chicken louse - - - - -	- <u>Goniocotes holcogaster</u> Nitzsch
Forest tent-caterpillar a.n.o. - - - - -	- <u>Malacosoma disstria</u> Huebn.
Four-lined plant-bug - - - - -	- <u>Poeciloscaphus lineatus</u> Fab.
Four-marked leaf-beetle - - - - -	- <u>Cryptoccephalus quadrimaculatus</u> Say
Fowl tick - - - - -	- <u>Argas miniatus</u> Koch
Fruit-tree leaf-roller - - - - -	- <u>Cacoecia arcyrospila</u> Walk.
Fuller's rose beetle - - - - -	- <u>Pantomorus fulleri</u> Horn
Fuse-plug borer - - - - -	- <u>Dermestes frischi</u> Kug.

G

Calls - - - - -	- <u>Cynipidae</u>
Garden flea-hopper - - - - -	- <u>Halticus citri</u> Ashm.
Garden webworm a.n.o. - - - - -	- <u>Loxostege similalis</u> Guen.
German roach - - - - -	- <u>Blattella germanica</u> L.
Giant root-borer - - - - -	- <u>Prionus laticollis</u> Drury
Giant skipper - - - - -	- <u>Eragyreus tityrus</u> Fab.
Gipsy moth - - - - -	- <u>Porthetria dispar</u> L.
Goldenglow aphid - - - - -	- <u>Macrosiphum rudbeckiae</u> Fitch
Golden tortoise-beetle - - - - -	- <u>Metritona bicolor</u> Fab.
Granary weevil a.n.o. - - - - -	- <u>Calandra granaria</u> L.



Grape-berry moth a.n.o. - - - - -	<u>Polychrosis vitaana</u> Clem.
Grape blossom midge - - - - -	<u>Contarinia johnsoni</u> Sling.
Grape cane-borer - - - - -	<u>Amphicerus bicaudatus</u> Say
Grape flea-beetle a.n.o. - - - - -	<u>Haltica chalvbea</u> Ill.
Grape leafhopper a.n.o. - - - - -	<u>Erythroneura comes</u> Say
Grape leaf-roller - - - - -	<u>Desmia funeralis</u> Huebn.
Grape phylloxera - - - - -	<u>Phylloxera vitifoliae</u> Fitch
Grape plume-moth a.n.o. - - - - -	<u>Oxyptilus periscelidactylus</u> Fitch
Grape rootworm a.n.o. - - - - -	<u>Fidia viticida</u> Walsh
Grape scale a.n.o. - - - - -	<u>Aspidiotus uvae</u> Comst.
Grape tube gall - - - - -	<u>Cecidomyia viticola</u> O.S.
Grapevine aphid - - - - -	<u>Macrosiphum illinoisensis</u> Shim.
Grass mite - - - - -	<u>Pediculopsis graminum</u> Reut.
Grass stem weevil - - - - -	<u>Sphenophorus</u> sp.
Great-Plains false wireworm - - - - -	<u>Eleodes opaca</u> Say
Greater wheat-stem maggot - - - - -	<u>Meromyza americana</u> Fitch
Green apple aphid - - - - -	<u>Aphis pomi</u> DeG.
Green-bottle fly - - - - -	<u>Lucilia sericata</u> Meig.
Green bug - - - - -	<u>Toxonotera graminum</u> Rond.
Green chrysanthemum aphid - - - - -	<u>Aphis rufomaculata</u> Wilson
Green flea-beetle - - - - -	<u>Disomyza</u> sp. n.
Green fruitworm a.n.o. - - - - -	<u>Xylina antennata</u> Walker
Green June beetle a.n.o. - - - - -	<u>Cotinis nitida</u> L.
Green peach aphid a.n.o. - - - - -	<u>Myzus persicae</u> Sulz.
Green soldier-bug - - - - -	<u>Nezara hilaris</u> Fitch
Greenhouse leaf-tyer - - - - -	<u>Phlyctaenia ferrugalis</u> Hbn.
Greenhouse sowbug - - - - -	<u>Porcellio rathkei</u> Brandt
Green-striped maple worm - - - - -	<u>Anisota rubicunda</u> Fab.
Guava leaf-roller - - - - -	<u>Attelabus sexmaculatus</u> Chev.

## H

Hag moth a.n.o. - - - - -	<u>Phobetrus pithecius</u> S. & A.
Half-winged geometer - - - - -	<u>Phigalia titea</u> Cramer
Harlequin cabbage bug a.n.o. - - - - -	<u>Murgantia histrionica</u> Hahn
Henhouse bedbug - - - - -	<u>Haematosiphon inodorus</u> Duges
Hessian fly a.n.o. - - - - -	<u>Phytenhara destructor</u> Say
Hickory bark-beetle a.n.o. - - - - -	<u>Scolytus quadrispinosus</u> Say
Hickory nut weevil - - - - -	<u>Balaninus curvae</u> Horn
Horn fly - - - - -	<u>Haematobia irritans</u> L.
Horse bot-fly - - - - -	<u>Gastrochilus intestinalis</u> DeG.
Horseradish flea-beetle - - - - -	<u>Phyllotreta amaraciae</u> Koch
House cricket a.n.o. - - - - -	<u>Cryllus domesticus</u> L.
House fly a.n.o. - - - - -	<u>Musca domestica</u> L.

## I

Imbricated snout-beetle a.n.c. - - - - -	<u>Epicaerus imbricatus</u> Say
Imported currant borer - - - - -	<u>Aegeria tipuliformis</u> Clerck
Imported currantworm a.n.o. - - - - -	<u>Pteronidea ribesi</u> Scop.
Imported pine sawfly - - - - -	<u>Diprion simile</u> Hartig
Imported poplar and willow beetle - - - - -	<u>Plagioderma versicolora</u> Laich.
Indian-meal moth a.n.o. - - - - -	<u>Plodia interpunctella</u> Huebn.

See

Inflated wireworm - - - - -	<u>Ludius inflatus</u> Say
Iris borer - - - - -	<u>Macronoctua onusta</u> Grote
Irrigation wireworm - - - - -	<u>Pheletes</u> sp.

J

Japanese beetle - - - - -	<u>Popillia japonica</u> Newm.
---------------------------	--------------------------------

K

Lappet moth - - - - -	<u>Tolyte vellea</u> Comst.
Larch case-bearer a.n.o. - - - - -	<u>Coleophora loricella</u> Huebn.
Larch sawfly - - - - -	<u>Nematus erichsonii</u> Hartig
Larder beetle a.n.o. - - - - -	<u>Dermestes lardarius</u> L.
Large body hen louse (or Large head louse) - - - - -	<u>Menopon biserialum</u> Piaget
Larger chestnut weevil - - - - -	<u>Balaninus proboscideus</u> Fab.
Leafhoppers - - - - -	Jassidae
Leaf-roller - - - - -	<u>Archips parallela</u> Rob.
Lesser appleworm a.n.o. - - - - -	<u>Laspeyresia prunivora</u> Walsh
Lesser canna leaf-roller - - - - -	<u>Geshna cannalis</u> Quaint.
Lesser chestnut weevil - - - - -	<u>Balaninus algonquius</u> Casey
Lesser clover-leaf weevil - - - - -	<u>Phytonomus nigrirostris</u> Fab.
Lesser corn stalk-borer - - - - -	<u>Elasmopalpus lignosellus</u> Zell.
Lesser peach-tree borer - - - - -	<u>Aegeria pictipes</u> G. & R.
Lilac borer a.n.o. - - - - -	<u>Podosesia syringae</u> Harr.
Little black ant - - - - -	<u>Monomorium minimum</u> Buckley
Little hickory aphid - - - - -	<u>Monellia carvella</u> Fitch
Locust borer a.n.o. - - - - -	<u>Cyllene robiniae</u> Forst.
Locust leaf-miner - - - - -	<u>Chalepus dorsalis</u> Thunb.
Lubber grasshopper - - - - -	<u>Brachystola magna</u> Gir.

M

Magnolia scale a.n.o. - - - - -	<u>Neolecanium cornuparvum</u> Thos.
Malaria mosquito - - - - -	<u>Anopheles quadrimaculatus</u> Say
Mango shield scale - - - - -	<u>Coccus acuminatus</u> Sign.
Maple chaetophorus - - - - -	<u>Periphyllus lyropicta</u> Kies.
March flies - - - - -	<u>Bibio</u> spp.
May beetles - - - - -	<u>Phyllonhaga</u> spp.
Meal snout-moth - - - - -	<u>Pyralis farinalis</u> L.
Mealy plum aphid - - - - -	<u>Eyalopterus arundinis</u> Fab.
Mediterranean flour moth a.n.o. - - - - -	<u>Eoestia kuehniella</u> Zell.
Melon caterpillar a.n.o. - - - - -	<u>Diaphania hvalinata</u> L.
Mesquite borer - - - - -	<u>Schizax senex</u> Lec.
Mexican bean beetle - - - - -	<u>Epilachna corrupta</u> Muls.
Millipedes - - - - -	<u>Diploclulus luscus</u>
Monterey-cypress bark-beetle - - - - -	<u>Phloeosinus cupressi</u> Hopk.
Mormon cricket - - - - -	<u>Anabrus simplex</u> Hald.



See

Mosquitoes - - - - -	<u>Culicidae</u>
Mottled tortoise-beetle - - - - -	<u>Chirida guttata</u> Oliv.
Mound-building ant. - - - - -	<u>Formica exsectoides</u> Forel
Mountain-pine beetle a.n.o. - - - - -	<u>Dendroctonus monticolae</u> Hopk.
Murky ground-beetle - - - - -	<u>Harpalus caliginosus</u> Fab.

N

Naked slugs - - - - -	<u>Agriolimax</u> sp.
Nantucket pine moth - - - - -	<u>Rhyacionia frustrana</u> Comst.
Narcissus-bulb fly - - - - -	<u>Merodon equestris</u> Fab.
Negro bug a.n.o. - - - - -	<u>Corimelaera pulicaria</u> Germ.
New York weevil a.n.o. - - - - -	<u>Ithycerus noveboracensis</u> Forst.
Northern tobacco hornworm - - - - -	<u>Protoparce quinquemaculata</u> Haw.
Nuttall's blister-beetle - - - - -	<u>Lytta nuttalli</u> Say

O

Oak leaf-roller - - - - -	<u>Tortrix quercifolia</u> Fitch
Oak lecanium - - - - -	<u>Lecanium quercifex</u> Fitch
Obscure scale - - - - -	<u>Chrysomphalus obscurus</u> Comst.
Onion maggot a.n.o. - - - - -	<u>Hylemyia antiqua</u> Meig.
Onion thrips a.n.o. - - - - -	<u>Thrips tabaci</u> Lind.
Orange basket-worm - - - - -	<u>Platoceticus gloverii</u> Pack
Orange leaf-notcher - - - - -	<u>Artipus floridanus</u> Horn
Oriental fruit-moth - - - - -	<u>Laspeyresia molesta</u> Busck
Oriental moth a.n.o. - - - - -	<u>Cnidocampa flavescens</u> Walk.
Ox warble - - - - -	<u>Hypoderma</u> spp.
Oyster-shell scale a.n.o. - - - - -	<u>Lepidosaphes ulmi</u> L.

P

Pacific poplar girdler - - - - -	<u>Agrilus nevadensis</u> Horn
Pale-marked ash borer - - - - -	<u>Eburia quadrigeminata</u> Say
Pale-striped flea-beetle a.n.o. - - - - -	<u>Systema taeniata</u> Melsh.
Pale tussock moth - - - - -	<u>Halisciota tessellaris</u> S. & A.
Pales weevil - - - - -	<u>Hylobius pales</u> Herbst
Palmetto leaf-miner - - - - -	<u>Homaledra sabalella</u> Chamb.
Pan-American platypus - - - - -	<u>Platypus compositus</u> Say
Papaya fruit-fly a.n.o. - - - - -	<u>Toxotrypana curvicauda</u> Gerst.
Pea aphid - - - - -	<u>Illinoia pisi</u> Kalt.
Pea moth - - - - -	<u>Semasia nigricana</u> Steph.
Pea weevil a.n.o. - - - - -	<u>Mylabris pisorum</u> L.
Peach and plum slug - - - - -	<u>Eriocampoides amygdalina</u> Rohwer
Peach borer - - - - -	<u>Aegeria exitiosa</u> Say
Peach-twigg moth a.n.o. - - - - -	<u>Anarsia lineatella</u> Zell.
Pear-leaft blister-mite a.n.o. - - - - -	<u>Eriophyes pyri</u> Pgst.
Pear midge - - - - -	<u>Contarinia pyrivora</u> Riley
Pear slug a.n.o. - - - - -	<u>Caliroa cerasi</u> L.

See

Pecan bud-moth - - - - -	<u>Proteopteryx</u> <u>bolliana</u> Sling.
Pecan cigar case-bearer - - - - -	<u>Coleophora</u> <u>caryaefoliella</u> Clem.
Pecan-leaf case-bearer - - - - -	<u>Acrobasis</u> <u>nebuliella</u> Riley
Pecan-mut case-bearer - - - - -	<u>Acrobasis</u> <u>hebescella</u> Hulst
Pecan phylloxera - - - - -	<u>Phylloxera</u> <u>devastatrix</u> Perg.
Pecan shuckworm - - - - -	<u>Laspeyresia</u> <u>caryana</u> Fitch
Pecan spittle-bug - - - - -	<u>Clastoptera</u> <u>obtusa</u> Say
Pecan weevil - - - - -	<u>Balaninus</u> <u>caryae</u> Horn
Pepper weevil - - - - -	<u>Anthonomus</u> <u>eugenii</u> Cano
Periodical cicada a.n.o. - - - - -	<u>Tibicen</u> <u>septendecim</u> L.
Pickleworm a.n.o. - - - - -	<u>Diaphania</u> <u>ritidalis</u> Cramer
Pine bark louse - - - - -	<u>Chermes</u> <u>pinicorticis</u> Fitch
Pine butterfly - - - - -	<u>Neophasia</u> <u>menapia</u> Feld.
Pine defoliater - - - - -	<u>Coloradia</u> <u>pandora</u> Blake
Pine-leaf scale - - - - -	<u>Chionaspis</u> <u>pinifoliae</u> Fitch
Pine tube-moth - - - - -	<u>Eulia</u> <u>pinatubana</u> Kearf.
Pipevine swallowtail - - - - -	<u>Papilio</u> <u>philecor</u> L.
Plum curculio a.n.o. - - - - -	<u>Conotrachelus</u> <u>nenuphar</u> Hbst.
Plum gouger a.n.o. - - - - -	<u>Anthonomus</u> <u>scutellaris</u> Lec.
Poplar borer a.n.o. - - - - -	<u>Saperda</u> <u>calcarata</u> Say
Potato aphid - - - - -	<u>Macrosiphum</u> <u>solanifolii</u> Ashm.
Potato beetle - - - - -	<u>Leptinotarsa</u> <u>decemlineata</u> Say
Potato flea-beetle a.n.o. - - - - -	<u>Epitrix</u> <u>cucumeris</u> Harr.
Potato leafhopper - - - - -	<u>Empoasca</u> <u>kali</u> LeB.
Potato stalk-borer a.n.o. - - - - -	<u>Trichobaris</u> <u>trinotata</u> Say
Poultry mite - - - - -	<u>Permanysus</u> <u>gallinae</u> Redi
Powder-post beetle - - - - -	<u>Lyctus</u> <u>linearis</u> Goeze
Primrose flea-beetle - - - - -	<u>Maltica</u> <u>foliacea</u> Lec.
Purple scale a.n.o. - - - - -	<u>Lepidosaphes</u> <u>beckii</u> Newm.
Puss caterpillar - - - - -	<u>Megalonyx</u> <u>opercularis</u> S. & A.
Pyriform scale a.n.o. - - - - -	<u>Protopulvinaria</u> <u>pyriformis</u> Ckll.

R

Rascal leaf-crumpler - - - - -	<u>Mineola</u> <u>indigenella</u> Zell.
Raspberry cane-borer a.n.o. - - - - -	<u>Oberea</u> <u>biraculata</u> Oliv.
Raspberry fruitworm - - - - -	<u>Byturus</u> <u>unicolor</u> Say
Raspberry maggot - - - - -	<u>Phorbia</u> <u>rubivora</u> Coq.
Raspberry sawfly a.n.o. - - - - -	<u>Monophadnoides</u> <u>rubi</u> Harr.
Red-banded leaf-roller - - - - -	<u>Eulia</u> <u>velutinana</u> Walk.
Red-cedar bark-beetle - - - - -	<u>Phloeosinus</u> <u>dentatus</u> Say
Red-humped caterpillar a.n.o. - - - - -	<u>Schizura</u> <u>concinna</u> S. & A.
Red spider(a)- - - - -	<u>Tetranychus</u> <u>viridis</u> Banks
Red-tail bot-fly - - - - -	<u>Castrorhynchus</u> <u>hamorrhoidalis</u> L.
Regal-moth - - - - -	<u>Citheronia</u> <u>regalis</u> Fab.
Rhubarb curculio - - - - -	<u>Lixus</u> <u>concavus</u> Say
Ribbed cocoon-maker - - - - -	<u>Bucculatrix</u> <u>pinifoliella</u> Clem.
Rice stalk-borer - - - - -	<u>Chilo</u> <u>plejadellus</u> Zinck.
Rice water weevil - - - - -	<u>Lissorhynchus</u> <u>simplex</u> Say
Rice weevil a.n.o. - - - - -	<u>Calandra</u> <u>oryza</u> L.
Robber fly - - - - -	<u>Saropogon</u> <u>dispar</u> Coq.

See

Root-knot nematode	<u>Heterodera radiculicola</u> Greef-Mueller
Rose aphid	<u>Macrosiphum rosae</u> L.
Rose chafer a.n.o.	<u>Macrodactylus subspinosus</u> Fab.
Rose curculio	<u>Rhynchites bicolor</u> Fab.
Rose leaf-beetle	<u>Modonota puncticollis</u> Say
Rose leafhopper	<u>Empoa rosae</u> L.
Rose leaf-roller	<u>Archips rosaceana</u> Harr.
Rose midge	<u>Dasyneura rhodophaga</u> Coq.
Rose sawfly a.n.o.	<u>Caliroa aethiops</u> Fab.
Rose scale a.n.o.	<u>Aulacaspis rosae</u> Bouche
Rosy apple aphid	<u>Anuraphis roseus</u> Baker
Rough-headed corn stalk-beetle	<u>Ligyus (Euetheola) rugiceps</u> Lec.
Roundheaded apple-tree borer a.n.o.	<u>Saperda candida</u> Fab.

3

Saint Andrew's cotton-stainer	<u>Dysdercus andreae</u> L.
Salt-marsh mosquito	<u>Iedes sollicitars</u> Walk.
San Jose scale a.n.o.	<u>Aspidiotus perniciosus</u> Comst.
Satin moth	<u>Stilpnotia salicis</u> L.
Say's blister-beetle	<u>Porphopoea sayi</u> Lec.
Screwworm a.n.o.	<u>Chrysomya macellaria</u> Fab.
Seed-corn maggot	<u>Hydomyia ciliocirra</u> Rond.
Serpentine leaf-miner	<u>Azomyza pusilla</u> Meig.
Sheep bot-fly	<u>Oestrus ovis</u> L.
Sheep scab	<u>Psoroptes communis</u> Furst.
Shot-hole borer a.n.o.	<u>Scolytus rugulosus</u> Ratz.
Silver leaf mite	<u>Phyllocoptes cornutus</u> Banks
Silver-maple leaf mite	<u>Phyllocoptes quadripes</u> Shim.
Six-spotted leafhopper a.n.o.	<u>Cicadula 6-notata</u> Fau.
Small body hen louse	<u>Menopon pallidum</u> Nitzsch
Small red-horned borer	<u>Ptilinus ruficornis</u> Say
Small willow flea-beetle	<u>Chalcoides helkinus</u> L.
Smartweed borer	<u>Pyrausta ninsliei</u> Heinr.
Snail (a.)	<u>Helix aspersa</u> Muller
Snowy tree-cricket a.n.o.	<u>Oecanthus niveus</u> DeG.
Sorghum webworm	<u>Celera sorghella</u> Riley
Southern beet webworm	<u>Pachyzancla binunctalis</u> Fab.
Southern corn leaf-beetle	<u>Myochrous denticollis</u> Say
Southern green plant-bug	<u>Nezara viridula</u> L.
Southern tobacco hornworm	<u>Protoparce sexta</u> Joh.
Sowbugs	<u>Amedillidium vulgare</u> Latr. <u>Porcellio scaber</u> Latr.
Spanworm	<u>Ennomos subsignarius</u> Huebn.
Spear mark	<u>Eulyoa hastata</u> L.
Spinach leaf-miner	<u>Pegomya hyoscyari</u> Panz.
Spindleworm	<u>Achatodes zeae</u> L.
Spiny elm caterpillar	<u>Eu Vanessa antiopa</u> L.
Spiny rose gall	<u>Rhodites bicolor</u> Hafr.
Spirea aphid	<u>Aphis spiraeella</u> Schout.
Spittle insects	<u>Cercopidae</u>
Spotted beetworm	<u>Hymenia perspectalis</u> Hbn.

See

Spotted cutworm - - - - -	<u>Agrotis c-nigrum</u> L.
Spotted-fever tick - - - - -	<u>Dermacentor venustus</u> Banks
Spring cankerworm a.n.o. - - - - -	<u>Paleacrita vernata</u> Peck
Spruce budworm - - - - -	<u>Harmoloba fumiferana</u> Clem.
Spruce cone-worm - - - - -	<u>Diorctria reniculella</u> D. & S.
Spruce gall aphid - - - - -	<u>Chermes abietis</u> L.
Squash bug a.n.o. - - - - -	<u>Anasa tristis</u> DeG.
Squash-vine borer - - - - -	<u>Melittia satyriniformis</u> Huebn.
Stable fly a.n.o. - - - - -	<u>Stomoxys calcitrans</u> L.
Stalk borer a.n.o. - - - - -	<u>Papaipema nitela</u> Guen.
Sticktight flea - - - - -	<u>Echidnophaga gallinacea</u> West.
Stink-bugs - - - - -	Pentatomidae
Strawberry crown-borer a.n.o. - - - - -	<u>Tyloderma fragariae</u> Riley
Strawberry flea-beetle - - - - -	<u>Haltica ignita</u> Ill.
Strawberry leaf-beetle - - - - -	<u>Paria carella</u> Fao.
Strawberry leaf-roller a.n.o. - - - - -	<u>Ancylis comptana</u> Froehl.
Strawberry-root weevil - - - - -	<u>Brachyrhinus ovatus</u> L.
Strawberry sawfly - - - - -	<u>Empria maculata</u> Norton
Strawberry weevil a.n.o. - - - - -	<u>Anthonomus signatus</u> Say
Straw-itch mite - - - - -	<u>Pediculoides ventricosus</u> Newp.
Striped cucumber-beetle a.n.o. - - - - -	<u>Diabrotica vittata</u> Fab.
Striped flea-beetle a.n.c. - - - - -	<u>Phyllotreta vittata</u> Fab.
Striped tree-cricket - - - - -	<u>Oecanthus nigricornis</u> Walk.
Sucking goat louse - - - - -	<u>Lingnathus stenopsis</u> Burm.
Sugar-beet root-maggot - - - - -	<u>Tetanops aldrichi</u> Hendel
Sugar-beet webworm - - - - -	<u>Loxostege sticticalis</u> L.
Sugar-cane beetle a.n.o. - - - - -	<u>Ligyus (Euetheola) rugiceps</u> Lec.
Sugar-cane borer a.n.c. - - - - -	<u>Diatraea saccharalis</u> Fao.
Sumac psyllid - - - - -	<u>Calophya nigripennis</u> Riley
Sunflower peacock fly - - - - -	<u>Straussia longipennis</u> Wied.
Sweet-potato weevil a.n.o. - - - - -	<u>Cylas formicarius</u> L.

T

Tarnished plant-bug a.n.o. - - - - -	<u>Lygus pratensis</u> L.
Tent caterpillar a.n.o. - - - - -	<u>Malacosoma americana</u> Fab.
Termites - - - - -	<u>Reticulitermes flavipes</u> Kol.
Three-lined fig borer - - - - -	<u>Ptychodes vittata</u> Fab.
Throat bot-fly - - - - -	<u>Gastrophilus nasalis</u> L.
Tiger swallowtail - - - - -	<u>Papilio glaucus</u> var. <u>turnus</u> L.
Tiny red ant - - - - -	<u>Monomorium pharaonis</u> L.
Tobacco flea-beetle a.n.o. - - - - -	<u>Epitrix parvula</u> Fab.
Tobacco hornworm - - - - -	<u>Protoparce sexta</u> Joh.
Tobacco suckfly - - - - -	<u>Diccyphus minimus</u> Uhler
Tobacco thrips - - - - -	<u>Frankliniella fusca</u> Hinds
Tropical fowl mite - - - - -	<u>Liponyssus bursa</u> Berlese
Tulip aphid - - - - -	<u>Anuraphis tulipae</u> Boyer
Tulip scale - - - - -	<u>Toumeyella liriodendri</u> Gmel.
Tulip spot gall - - - - -	<u>Thecodiplosis liriodendri</u> O. S.
Turnip aphid - - - - -	<u>Rhopalosiphum pseudobrassicae</u> Davis
Twelve-spotted cucumber-beetle - - - - -	<u>Diabrotica duodecimpunctata</u> L.
Twig girdler - - - - -	<u>Oncideres cingulata</u> Say



See

Two-lined chestnut borer a.n.o. - - - - -	<u>Aerilus bilineatus</u> Weber
Two-striped grasshopper - - - - -	<u>Melanoplus bivittatus</u> Say
Two-striped sweet-potato beetle - - - - -	<u>Cassida bivittata</u> Say

V

Vagabond gall-louse - - - - -	<u>Pemphigus vagabundus</u> Walsh
Variegated cutworm - - - - -	<u>Lycophotia margaritosa</u> Haw.
Velvet-bean caterpillar - - - - -	<u>Anticarsia gemmatilis</u> Hbn.

W

Walnut datana - - - - -	<u>Datana integerrima</u> G. & R.
Water-lily aphid - - - - -	<u>Rhopalosiphum nymphaeae</u> L.
Western army-cutworm - - - - -	<u>Chorizagrotis auxiliaris</u> Grote
Western flea-beetle - - - - -	<u>Phyllotreta pusilla</u> Horn
Western-pine beetle a.n.o. - - - - -	<u>Dendroctonus brevicornis</u> Lec.
Western potato flea-beetle - - - - -	<u>Epitrix subcrinita</u> Lec.
Western wheat sawfly - - - - -	<u>Cephus cinctus</u> Nort.
Wheat-head armyworm a.n.o. - - - - -	<u>Heliochila albolinea</u> Hbn.
Wheat jointworm - - - - -	<u>Harmolita tritici</u> Fitch
Wheat sawfly borer - - - - -	<u>Cephus pygmaeus</u> L.
Wheat-sheath gall jointworm - - - - -	<u>Harmolita vaginicola</u> Doane
Wheat strawworm - - - - -	<u>Harmolita grandis</u> Riley
Wheel bug - - - - -	<u>Arilus cristatus</u> L.
White ant - - - - -	<u>Reticulitermes flavipes</u> Kol.
White-blotch oak leaf-miner - - - - -	<u>Lithocolletes hamadrivella</u> Clem.
Whiteflies - - - - -	Aleurodidae
White-lined sphinx - - - - -	<u>Deilephila lineata</u> Fab.
White-marked tussock moth a.n.o. - - - - -	<u>Hemerocampa leucostigma</u> S. & A.
White-pine aphid - - - - -	<u>Lachnus strobi</u> Fitch
White-pine weevil - - - - -	<u>Pissodes strobi</u> Peck
Willow curculio - - - - -	<u>Cryptorhynchus lapathi</u> L.
Wingless May-beetle - - - - -	<u>Phyllophaga</u> sp.
Wing louse - - - - -	<u>Lipeurus variabilis</u> Nitzsch
Winter tick - - - - -	<u>Dermacentor albipictus</u> Pack.
Wireworms - - - - -	Elateridae
Wood leopard moth - - - - -	<u>Zeuzera pyrina</u> Fab.
Woolly apple aphid a.n.o. - - - - -	<u>Eriosoma lanigerum</u> Hausm.
Woolly beech aphid - - - - -	<u>Phylloxera fagi</u> L.
Woolly elm aphid - - - - -	<u>Eriosoma americanum</u> Riley
Woolly maple-leaf scale - - - - -	<u>Phenacoccus acericola</u> King
W-marked cutworm - - - - -	<u>Noctua clandestina</u> Harr.

Y

Yellow-bear caterpillar - - - - -	<u>Diacrisia virginica</u> Fab.
Yellow-fever mosquito - - - - -	<u>Aedes aegypti</u> L.
Yellow-striped armyworm - - - - -	<u>Prodenia ornithogalli</u> Guen.
Yellow sugar-cane aphid - - - - -	<u>Sipha flava</u> Forbes

Z

Zeora caterpillar a.n.o. - - - - -	<u>Mamestra picta</u> Harr.
------------------------------------	-----------------------------

UNIVERSITY OF FLORIDA



3 1262 09244 5203